16.

23. Other items or information:

Return Postcard Receipt

EXPRESS MAIL LABEL NO. EL902321682US

DATE DEPOSITED: January 15, 2002

U.S. A	PPLIC.	ATION 1	NO. (IF)	KNOV	31	EE 37	91	INTERNATIONAL PCT/	L APPLICATUS00/173		NO.			S DOCKET NUMBER
24.		The fol	llowing f	fees a	are su	bmitt	ed;	<u> </u>	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	<u> </u>		T		
BASI	C NAT	TONA	L FEE	(37 (	CFR	1.492	(a) (1) -	(5)):				۲	ALCULATION	NS PTO USE ONLY
	Neith interr	er inter ational	rnational I search	l preli fee (3	imina 37 CF	ary ex	amination	n fee (37 CFR 1.482) paid to USPTO by the EPO or JPO			\$1040.	00		
×	✓ International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO													
	International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO										1			
	International preliminary examination fee (37 CFR 1.482) paid to USPTO but all claims did not satisfy provisions of PCT Article 33(1)-(4)										00			
	Internant and a	ational I claim	is satisfi	ed pro	ovisio	ons of	PCT Art	CFR 1.482) paid to icle 33(1)-(4)			\$100.0	, L	-	1
L .								ATE BASIC F			NT =		\$890.00	
month	s from	\$130.0 the ear	liest clai	imed	prior	rity da	ate (37 CI	ration later than FR 1.492 (e)).	□ 20		□ 30		\$0.00	
	AIMS	-				R FILE		NUMBER EX	TRA	-	RATE			
Total o					12		20 =	0		х	\$18.00	4	\$0.00	
	ndent o		Oblin		3		3 ==	1		х	\$84.00		\$0.00	
Muitip	е рер	endeni	Claims	(chec				A BOYE CAT	CIT AT			+	\$0.00	
ξη A	nnlica	nt clain	ne emall	antit				ABOVE CAL R 1.27). The fees ind				+	\$890.00	
j re	duced	by 1/2.	19 9111011	eman	y Stat	us. oc	20 3/ Crr	(1.21). The rees ind					\$0.00	
3									SUB	гот	AL =		\$890.00	
Proces months	sing fe	of \$13 the earl	30.00 for iest clai	r furn med p	uishin priori	ig the	English t ite (37 CF	ranslation later than R 1.492 (f)).	□ 20	0	□ 30 +		\$0.00	
5								TOTAL NAT			EE =		\$890.00	
Fee for accomp	record	ing the	enclose pproprie	d ass	ignm over s	ient (3 sheet (	37 CFR 1. (37 CFR 3	.21(h)). The assignm 3.28, 3.31) (check it	nent must b f applicable	e).			\$40.00	
)					_			TOTAL FEES	ENCL	OSE	ED =	-	\$930.00	
in .												Am	nount to be: refunded	\$
3													charged	\$ 930.00
] a.		A che	eck in th	e amo	ount /	of		to cover the	ahove fees	is en	closed			
b.	to cover the above rees is eliciosed.													
c.	c. The Commissioner is hereby authorized to charge any additional fees which may be required or available.													
d.	A duplicate copy of this sheet is enclosed.													
(OTE:	Whe	re an a	ppropri	iate ti	ime l	limit i	under 37	CFR 1.494 or 1.499 the application to	5 has not b	een n	act, a pet	ition to	revive (37 CFI	R
							O I CSLOL	тис аррисаціон го	pending st	atus.	,	-		
			SPONDI	ENCE	3 TO	<u>:</u>					12	1	01	
		. Tripe								SIC	NATUR <del>i</del>	0	-	
		multin tment	nedia Li	icensi	ing 11	ac.				/				
PO Bo	x 5312									KUNIYUKI AKIYAMA				
Prince	ton, N	ew Jers	sey 0854	40						NAME				
										43,3	314			
										REG	SISTRAT	ION N	UMBER	
											uary 15,			
										DAT		2002		
										DAI	E			
					_				1					

## XPRESS MAIL LABEL NO. EL902321682US TRCA 89650

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Gene Harlow Johnson, Matthew Thomas Mayer, Scott Edward Klopfenstein, Aaron Hal Dinwiddie

Scott Edward Kloptenstell, Aaron Hai Dinwiddle

Filed : Herewith

For : METHOD AND APPARATUS FOR PERFORMING A

CHANNEL SEARCH IN A TELEVISION

### PRELIMINARY AMENDMENT

Hon. Commissioner of Patents and Trademarks Box PCT Washington, D.C. 20231

Sir:

In the US national phase application of PCT/US00/17374 filed herewith, please enter the following amendments:

#### IN THE SPECIFICATION:

Please amend the specification as follows: A marked up version of the amended specification is attached herewith:

On Page 1, please delete lines 5-6, and please replace the first paragraph as follows:

--This application claims the benefit under 35 U.S.C. § 365 of International Application PCT/US00/17374, filed June 23, 2000, which was published in accordance with PCT Article 21(2) on January 25, 2001 in English; and which claims benefit of U.S. provisional application serial no. 60/144,654 filed July 16, 1999.--

#### IN THE ABSTRACT:

Please add the following Abstract.

-- A television, such as an HDTV receiver, includes a plurality of signal inputs each of which is adapted to receive television signals comprising a plurality of channels and communicate the received television signals to a processor/tuner for selection of the various channels by a user for viewing on a display of the television. A channel search routine for the detection of channels in the television signal is accomplished on the currently designated signal input rather than on all signal inputs of the television. The channels detected during the search of the currently designated signal input are included in a channel list that is stored in memory of the television. A GUI is preferably used to initiate the channel search and is capable of displaying the detected channels relating to the currently selected signal input. Channel lists for each signal input are updated as the channels are detected. A complete channel list may be maintained for all signal inputs as well as individual channel lists for each signal input.--

#### REMARKS

The specification has been amended to include a reference to the priority applications.

To meet the requirements of the United States, the Abstract (as originally filed in the PCT application) is added.

No fee is believed to have been incurred by virtue of this amendment. However if a fee is incurred on the basis of this amendment, please charge such fee against deposit account 07-0832

> Respectfully submitted, Gene Harlow Johnson Matthew Thomas Mayer Scott Edward Klopfenstein Aaron Hal Dinwiddie

Kuniyuki Akiyama Attorney for Applicant Registration No. 43,314 609/734-9404

THOMSON multimedia Licensing Inc. Patent Operation PO Box 5312 Princeton, NJ 08543-5312

January 15, 2002

#### MARKED UP VERSION OF THE AMENDED SPECIFICATION

On Page 1, please delete lines 5-6, and please replace the first paragraph as follows:

--This application claims the benefit under 35 U.S.C. § 365 of International Application PCT/US00//17374, filed June 23, 2000, which was published in accordance with PCT Article 21(2) on January 25, 2001 in English; and which claims benefit of U.S. provisional application serial no. 60/144,654 filed July 16, 1999.--

25

30

5

10

PCT/US00/17374 10/031091

# METHOD AND APPARATUS FOR PERFORMING A CHANNEL SEARCH IN A TELEVISION

1

#### CROSS-REFERENCE TO RELATED APPLICATIONS

This is a non-provisional patent application based on co-pending provisional patent application serial number 60/144,654 filed July 16, 1999.

#### BACKGROUND OF THE INVENTION

#### 1. Field of the Invention

The present invention relates to digital television signals and, more particularly, to the search and detection of digital HDTV television signals.

#### 2. Description of the Related Art

High Definition television (HDTV) sets and other digital equipment such as set-top boxes must be able to receive digital and analog television signals from various sources. In order to accomplish this, such television receivers and other digital/analog equipment have two or more signal inputs that are adapted to receive various television signal sources. The television allows the user to switch between the various signal inputs in order to view the channels carried by the signal source coupled to the selected signal input.

Digital and analog television signals may be received from sources such as antennas, community cable systems, Direct Broadcast Satellite (DBS) systems, or the like. These various signal sources are coupled to separate signal inputs of the television and/or other digital/analog equipment (hereinafter collectively termed "television"). Each signal source typically carries many television channels. Some of the channels from the various signal sources are the same while some of the channels are different. With regard to both analog and digital off-air television signals from an antenna, if several digital channels are available, the user may be required to manually adjust the antenna in order to receive the best possible reception from all available channels.

With any signal source, the television needs to know what channels are available for each signal source or signal input, in order to skip those channels that do not carry programming when the user is switching between the various

20

25

30

5

10

channels. Channel autoprogramming algorithms and systems for automatically detecting active channels and indicating the active channels in a channel scanning list are known for analog television receivers.

It is known to provide a channel search routine for analog channels that will obtain a discrete sample or "snapshot" of all the currently available channels on all of the various signal inputs. The channel search routine then stores all of the channels detected from all of the signal inputs during the search in memory (e.g. EEPROM), deleting any channels previously stored that are not now currently available. At power-up of the unit, the channels in EEPROM become the channel list. This may occur when the user makes an adjustment to the antenna, such as moving position or location, or when the DBS or cable system adds and/or deletes channels.

Part of the channel search process is detecting if cable or an air antenna is connected to the signal input. This detection is performed on all signal inputs. Such a search may be an iterative process. The user potentially will need to adjust the antenna and complete a channel search several times before correctly positioning the antenna for superior reception of all channels available. As this is a time consuming process, there is a need for a different type of channel search.

It is thus an object of the present invention to provide a channel search that will shorten the time necessary to complete the channel acquisition process.

#### SUMMARY OF THE INVENTION

In accordance with one aspect of the present invention, there is provided a method and apparatus for performing a channel search on a television having multiple signal inputs.

In one form, a channel search is performed only on the currently selected signal input of the television rather than on all signal inputs. Depending on the number of signal inputs, channel search time is reduced by at least one-half the time.

According to an aspect of the present invention, since the channel search is performed on only the currently selected signal input, there is no need to

10

20

25

30

perform a cable/antenna detection algorithm. This as well reduces the amount of time necessary to perform the channel search.

According to another aspect of the present invention, the present channel search may use information that was found during a last full channel search or information that was entered by the user.

In another form, a channel search program/routine preferably of a graphical user interface (GUI) e.g., a television programming or set-up menu, is adapted to allow the user to accomplish a channel search on only the currently selected signal input and/or enter information regarding the existence of various channels. The GUI can be combined with other GUI functions of a similar nature, i.e. channel information, rather than to have the user navigate through several menu options.

#### BRIEF DESCRIPTION OF THE DRAWING

The above-mentioned and other features and advantages of this invention, and the manner of attaining them, will become more apparent and the invention will be better understood by reference to the following description of an embodiment of the invention taken in conjunction with the accompanying drawing, wherein:

Fig. 1 depicts a multimedia system adapted to receive and utilize digital and analog television signals, as well as perform various television channel searches and storage of channel lists for various inputs.

Corresponding reference characters indicate corresponding parts throughout the several views. The exemplification set out herein illustrates a preferred embodiment of the invention, and such exemplification is not to be construed as limiting the scope of the invention in any manner.

#### DETAILED DESCRIPTION OF THE INVENTION

Referring now to the drawings and, more particularly to Fig. 1, there is shown a simplified, functional block diagram of a multimedia system 10.

Multimedia system 10 may include television ("TV") or monitor 12 and DBS and/or set-top box receiver 14. DBS receiver 14 is in communication with signal input 16 of TV 12 via a communication line as is known in the art. DBS (Direct

10

15

20

25

30

Broadcast System) receiver 14 is in communication with dish (or antenna) 18 via a communication line as is also known in the art. Dish 18 receives digital multimedia and/or data signals, e.g. television, music and/or internet signals (hereinafter collectively "television signals"), that are focused onto and received by feedhorn/LNA (Low Noise Amplifier) unit 20. Feedhorn/LNA unit 20 typically receives and slightly amplifies the received television signals and transmits the amplified television signals to DBS receiver 14 for processing.

TV 12 includes image display or viewing area 22 and speakers 24a and 24b. In addition to signal input 16, TV 12 also includes signal inputs 26, 28, and 30. Signal inputs 16, 26, 28, and 30 are typically RF type signal inputs but may be any type of signal input such as RF and S-video. Additionally, while TV 12 is shown with four signal inputs, it should be understood that the number of signal inputs may vary from two to as many as practical. As depicted in Fig. 1, signal input 26 is signified as coupled with a CATV or cable system via cable or communication input line 34. TV 12 is shown coupled to antenna or aerial 36 via a communication input line with signal input 28. Likewise, antenna or aerial 38 is coupled to TV 12 via a communication input line. Antennas 36 and 38 are designed to receive off-air or terrestrially broadcast television signals which may be either digital or analog television signals. As such, antennas 36 and 38 are generally adjustable either manually or automatically. While antennas 36 and 38 are shown coupled to signal inputs 28 and 30 respectively, signal input 26 is shown coupled to CATV, and signal input 16 is shown coupled to DBS 14, it should be understood that generally each signal input can accept any input device, i.e. antenna, CATV, DBS or the like. Thus what is shown in Fig. 1 is for illustrative purposes only.

Signal inputs 16, 26, 28 and 30 are fed into microcontroller unit (" $\mu$ C") 32 such that television signals from any signal input may be selected for discriminating or tuning the various channels and receiving any data signals by tuner or selector 40 as is known in the art. Tuner 40 is in communication with  $\mu$ C unit 32 such that analog and digital television signals received from either antenna 36 or 38. CATV 34, or dish 18 are received and processed by  $\mu$ C unit

10

15

20

25

30

32 as is known in the art. In addition to other functions as are known in the art,  $\mu C$  unit 32 provides control and/or implementation of the various software programs/routines and is in communication with various components in accordance with the various aspects of the present invention, such as memory 42, e.g. EEPROM, RAM, ROM, display 22, and speakers 24a and 24b for providing audio output for the user.

Additionally,  $\mu$ C unit 32 includes the ability to generate, process, and display OSD information/data on display 22. The OSD information/data may be part of a received television signal or may be generated internally. Such OSD information may include channel number, time, signal strength, on-screen electronic program guides (EPGs), internet data, pop-up windows, on-screen electronic programming menus, and the like. Microcontroller unit 32 also runs various software necessary to process and/or utilize the incoming digital signals as is known in the art and additionally as provided herein.

It should be understood that  $\mu$ C unit 32 by itself or along with tuner 40 and memory 42 form a module capable of implementing the present invention. This module may be totally separate (discrete module) or may incorporate existing constituents of the various components (virtual module). In this manner, the module may be incorporated into TV 12, DBS/Set-Top Receiver Unit 14, or any other digital component capable of receiving and/or utilizing digital television signals.

As is typical of televisions, TV 12 is able to process only television signals from one signal input or signal reception medium, i.e. antenna, cable or satellite dish. The choice of which signal input to process and thus the channels to watch is determined by the user typically through input from a remote (not shown) as is known in the art. Thus, the selection of which signal input 16, 26, 28 or 30 to have TV 12 process and allow the various channels to be viewed on display 22 is chosen by the user.

In accordance with the present invention, upon initiation of a channel search in order to detect what channels are being broadcast in the television signal, the channel search routine tries to detect channels only from the currently

10

15

20

25

30

selected signal input of signal inputs 16, 26, 28, and 30. Upon detection of a channel on which information is being broadcasted, a channel list stored in memory 42 is updated to include the detected channel for the particular signal input. The channel search may utilize channel information that was determined during a last channel search for the particular signal input. Alternatively or additionally, the channel search may utilize channel information that was entered by the user. The channel list preferably includes a label or identifier for each active channel detected which relates the detected channel to the particular signal input being scanned. Thus, when a user is viewing channels from a selected signal input, only those channels that were detected from the selected signal input are displayable.

In order to further reduce the time necessary to perform channel detection, the various signal inputs 16, 26, 28, and 30 may accept only certain signal sources. For example, signal input 16 may only accept DBS/Set-top box type television signals and thus only those channels that are typical of DBS/Set-top box signals. Signal inputs 28 and 30 may accept only terrestrial or off-air television signals (VHF/UHF) that only carry characteristics channels, while signal input 26 may accept only cable television signals which carry only a certain range of channels. Preferably, television 12 includes a full channel search routine that detects all available channels from all signal inputs 16, 26, 28, and 30, in order to establish a baseline channel list if necessary.

It is not necessary for television 12 to perform a channel search/scan on television signals from every signal input. As such, the present invention preferably performs the channel detection/search/scan only on those signal inputs that are coupled to antennas that are receiving off-air or terrestrial television signals, and those signal inputs that are coupled to CATV systems for receiving cable TV signals. At a minimum, the present invention may be applied only to those signal inputs that are coupled to antennas. In Fig. 1, this would be signal inputs 28 and 30 which are coupled to antennas 36 and 38 respectively, and signal input 26 which is coupled to a CATV system. It should be understood that while a DBS receiver 14 is shown coupled to television 12 via signal input

15

20

16, the present channel search is not performed on this set of television signals, since the DBS receiver 14 performs this function. This would also be true of a VCR or like device (not shown) that would be coupled to a signal input. Generally, the present channel search is performed on the signal inputs coupled to the antennas. As such this would eliminate a cable/air detection routine as performed in the prior art thereby reducing the time necessary to perform the channel search function.

Upon selection of a channel scan by the user, preferably from within a screen of a GUI, a channel search is started on the channels characteristic of the signal input. A next frequency starting from a chosen frequency is scanned for detection of a usable signal. If there is not a next frequency, the routine is done. When a next frequency is encountered, it is determined whether there is a usable signal on the frequency/channel. Usable may be determined by applying a threshold signal strength for the incoming signal to overcome or other parameter or set of parameters. For each incoming frequency/channel that does not meet threshold signal strength requirements or otherwise, the channel may be removed from the channel list and a next frequency is determined. A continuous non-receipt of usable channels results in a loop until there are no more next frequencies available. For each incoming frequency/channel that does meet threshold signal strength requirements or otherwise, the channel is added to the channel list, preferably with an identifier indicating which signal input it is from. The process repeats until there is no next frequency.

While this invention has been described as having a preferred design, the present invention can be further modified within the spirit and scope of this disclosure. This application is therefore intended to cover any variations, uses, of adaptations of the invention using its general principles. Further, this application is intended to cover such departures from the present disclosure as come within known or customary practice in the art to which this invention pertains and which fall within the limits of the appended claims.

20

5

#### WHAT IS CLAIMED IS:

 In a video processing apparatus having at least two video inputs and coupled to a display device, a method of performing a channel search comprising:

determining a currently selected video input of the at least two video inputs:

detecting available channels from various possible channels on only the currently selected video input; and

updating a channel list of channels available for the currently selected video input.

- 10 2. The method of claim 1, wherein detecting available channels comprises detecting only digital channels.
  - 3. The method of claim 1, further including after determining a currently selected video input:

utilizing information generated from a previous full channel search regarding whether a video input is coupled to a cable video signal source or an antenna video signal source in order to skip a cable/air detection routine.

4. The method of claim 1, further including after determining a currently selected video input:

utilizing information entered by a user regarding whether a video input is coupled to a cable video signal source or an antenna video signal source in order to skip a cable/air detection routine.

- 5. A video processing apparatus coupled to a display device and having at least two RF video inputs couplable to a source of television signals, the video processing apparatus comprising:
- 25 means for selecting one of the RF video inputs as a television signal source for processing;

means for detecting available channels from only the RF video input selected by the means for selecting; and

means for updating a channel list of channels available for the selected RF 30 video input.

15

30

- 6. The video processing apparatus of claim 5, wherein the means for detecting available channels comprises detecting only digital channels.
- 7. The video processing apparatus of claim 5, further including:

means for utilizing information generated from a previous full channel
search regarding whether an RF video input is coupled to a cable video signal source or an antenna video signal source in order to skip a cable/air detection routine.

8. The video processing apparatus of claim 5, further including:

means for utilizing information entered by a user regarding whether an RF video input is coupled to a cable video signal source or an antenna video signal source in order to skip a cable/air detection routine.

9. A video processing apparatus comprising:

means for receiving a first plurality of channels of television signals from a first television signal input;

means for receiving a second plurality of channels of television signals from a second television signal input;

means for displaying the plurality of channels of television signals from either the first and second television signal inputs;

means for selecting one of the first and second television signal inputs for 20 processing and display;

means for detecting available channels from only the selected first or second television signal input selected by the means for selecting; and means for updating a channel list of channels available for the selected television signal input.

- 25 10. The video processing apparatus of claim 9, wherein the means for detecting available channels comprises detecting only digital channels.
  - 11. The video processing apparatus of claim 9, further including:

means for utilizing information generated from a previous full channel search regarding whether a television signal input is coupled to a cable video signal source or an antenna video signal source in order to skip a cable/air detection routine.

12. The video processing apparatus of claim 9, further including: means for utilizing information entered by a user regarding whether a television signal input is coupled to a cable video signal source or an antenna video signal source in order to skip a cable/air detection routine.






Fig. 1

EL 902321682US

Please type a plus sign (+) inside this box PTO/SB/01 (10-00) Approved for use through 10/31/2002, OMB 0651-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to res

DECLARA	TION	LEOD LITH ITY OR	Attorney Docket Number	RCA 89650			
DECLARATION FOR UTILITY OR DESIGN			First Named Inventor	Gene Harlow Johnson etal			
PATE		APPLICATION	COMPLETE IF KNOWN				
(	(37 CFR 1.63)		Application Number	1			
☐Declaration Submitted	OR	Declaration Submitted after Initial	Filing Date				
With Initial Filing		Filing (surcharge (37 CFR 1.16 (e))	Group Art Unit	7000			
y		required)	Examiner Name				

As a below named inventor, I hereby declare that:						
My residence, post office address, and citizenship are as stated below next to my name.						
I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:						
METHOD AND APPARATUS FOR PERFORMING A CHANNEL SEARCH IN A TELEVISION						
the specification of which		(Title of th	e Invention)			_
☐ is attached hereto						
OR						
was filed on (MM/DD	YYYY	June 23, 200	0 as United State	s Application Number of	r PCT Internation	al
Application Number	PCT/L	JS00/17374 and	was amended on (MM/D	D/YYY)		if applicable).
I hereby state that I have revie specifically referred to above.	wed ar	nd understand the conte	nts of the above identifie	d specification, includir	g the claims as a	mended
applications, material informati	acknowledge the duty to disclose information which is material to patentability as defined in 97 CFR 1.56, including for continuation-in-part applications, material information which became available between the filing date of the prior application and the national or PCT international filing date of the continuation-in-part application.					
hereby claim foreign priority henefits under 35 U.S.C. 119(s)-(4) or 395(s) of any fosign application(s) for patent or inventor's certificate, or 365(s) of any for international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is dailined.						
Prior Foreign Application						
Number(s)		Country	(MM/DD/YYYY) Count	ry Not Claimed	YES	NO
Additional foreign application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto:						
hereby claim the benefit under 35 U.S.C. 119(e) of any United States provisional application(s) listed below.						
ApplicationNumber(s) Filing Date (MM/DD/YYYY)						
JS 60/144,654		July 16, 1999		numbers a a suppleme	provisional appl re listed on ental priority dat	a sheet

[Page 1 of 2]

Burden Hour Statement: This form is estimated to take 21 minutes to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS, SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Indianapolis

#### Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number **DECLARATION** — Utility or Design Patent Application Direct all correspondence to: ☐ Customer Number ☐ Correspondance address below or Bar Code Label JOSEPH S. TRIPOLI Name THOMSON MULTIMEDIA LICENSING INC. Address State City PRINCETON NJ 08543-5312 Country Telephone Fax USA (609) 734 - 9404 (609) 734 - 9700 -1-hereby, declare that all statements made herein of my own knowledge, are true and that all statements-made-on-information and belief are believed to be true; and further that these statements were made with the knowledge that whilf that is statements and the like 5 made are punishable by fine or imprisonment, or both, under 19 U.S.C. 1001 and that such wilful false statements may jeopardize the validity of the application or any patent issued thereon. NAME OF SOLE OR FIRST INVENTOR: A petition has been filed for this unsigned inventor Given Family Name JOHNSON GENE HARLOW or Surname Name Inventor's 1-3-02 Signature Stat Residence: City Country Citizenship CARMEL INDIANA US Mailing Address Mailing Address 14370 Whisper Wind Drive City State ZIP Country Carmel Indiana 46032 US NAME OF SECOND INVENTOR: A petition has been filed for this unsigned inventor Given Family Name MAYER Name MATTHEW THOMAS or Surname Date Inventor's 3-02 Signature State Residence: City Country Citizenship INDIANAPOLIS INDIANA **Mailing Address** Mailing Address 8262 Forest Lane ZIP City State Country

Additional inventors are being named on the 1 supplemental Additional Inventor(s) sheet(s) PTO/SB/02A attached hereto [Page 2 of 2]

46240

Indiana

Approved for use through 10/31/2002, OMB 0651-0032

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

	RA		

ADDITIONAL INVENTOR(S) Supplemental Sheet

		Page <u>1</u> of <u>1</u>				
Name of Additional Joint Inventor, if any:		A petition has been filed for this unsigned inventor				
Given Name (first and midd	le (if any))	Family Name or Surname				
SCOTT EDWARD		KLOPFENSTEIN				
Inventor's Signature Saw Eduard	affer		Date /-3-02			
Residence: City FISHERS	State	Country	US Citizenship			
Mailing Address	IN.					
Mailing Address 7419 Wood Court						
City Fishers	State Indiana	ZIP 46038-1752	Country			
Name of Additional Joint Inventor, if any:		☐ A petition has been filed for this unsigned inventor				
Given Name (first and midd	le [if any])	Family Name or Surname				
AARON HAL		DINWIDDIE				
Inventor's Signature Caron Hel	Dinindlin		Date /-11-02			
Residence: City CICERO	State INDIANA	Country US	Citizenship			
Mailing Address	IN					
Mailing Address 1075 Bear Cub Dri	ve					
City Cicero	State Indiana	Zip 46034	Country US			
Name of Additional Joint Inventor, if any:		A petition has been filed for this unsigned inventor				
Given Name (first and midd	lle [if any])	Family Name or Surname				
Inventor's Signature			Date			
Residence: City	State	Country	Citizenship			
Mailing Address						
Mailing Address						
City	State	Zip	Country			

surver rour -caustremen, into rorm is estimated to take 21 minutes to complete. Time will vary depending upon the needs of the individual cases. Any comments on the amount of time you are required to complete this form should be sent for to the Chief Information Officer, U.S. Paterta and Trademark. Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

HOSTTO TEOTEDO